	CRF Errors Corrected by the STIC Syst n. Branch
N	changed a file from non-ASCII to ASCIENTERED CRF Processing Date: 1/2 Edited by: Verified by:
	Changed a file from non-ASCII to ASCII Verified by: Verified by: (ST
	Changed the margins in cases where the sequence text was "wrapped" down to the next line.
	Edited a format error in the Current Application Data section, specifically:
	Edited the Current Application Data section with the actual current number. The number inputted by tapplicant was the prior application data; or other
	Added the mandatory heading and subheadings for "Current Application Data".
	Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integ
	Changed the spelling of a mandatory field (the headings or subheadings), specifically:
	Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were:
	Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited:
	Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.
	Inserted colons after headings/subheadings. Headings edited included:
•	Deleted extra, invalid, headings used by an applicant, specifically:
	Deleted: ☐ non-ASCII "garbage" at the beginning/end of files; ☐ secretary initials/filename at end ☐ page numbers throughout text; ☐ other invalid text, such as
	Inserted mandatory headings, specifically:
	Corrected an obvious error in the response, specifically:
	Edited identifiers where upper case is used but lower case is required, or vice versa.
	Corrected an error in the Number of Sequences field, specifically:
-	A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted.
_	Deleted <i>ending</i> stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (
	lue to a Patentin bug). Sequences corrected:

Examiner: The above corrections must be communicated to the applicant in the first Office Action. DO NOT send a copy of this form.



1645

RAW SEQUENCE LISTING DATE: 01/29/2002 PATENT APPLICATION: US/09/870,375 TIME: 09:54:45

Input Set : A:\PTO.AMC.TXT

Output Set: N:\CRF3\01292002\I870375.raw

3 <110> APPLICANT: MERISTEM THERAPEUTICS 5 <120> TITLE OF INVENTION: SYNTHETIC AND CHIMERIC PROMOTERS, EXPRESSION CASSETTES, PLASMIDS, VECTORS, TRANSGENIC PLANTS ET SEEDS INCLUDING THEM AND PROCESSES FOR PRODUCING THE SAME 9 <130> FILE REFERENCE: PrHMWG1 C--> 11 <140> CURRENT APPLICATION NUMBER: US/09/870,375 C--> 12 <141> CURRENT FILING DATE: 2001-05-30 14 <160> NUMBER OF SEQ ID NOS: 37 16 <170> SOFTWARE: PatentIn Ver. 2.1 18 <210> SEQ ID NO: 1 19 <211> LENGTH: 417 20 <212> TYPE: DNA 21 <213> ORGANISM: Triticum aestivum 23 <220> FEATURE: 24 <221> NAME/KEY: misc_feature 25 <222> LOCATION: (22)..(29) 26 <223> OTHER INFORMATION: Prolamine- like box 28 <220> FEATURE: 29 <221> NAME/KEY: misc_feature 30 <222> LOCATION: (70)..(73) 31 <223> OTHER INFORMATION: GATA box 33 <220> FEATURE: 34 <221> NAME/KEY: misc_feature 35 <222> LOCATION: (87)..(90) 36 <223> OTHER INFORMATION: GATA box 38 <220> FEATURE: 39 <221> NAME/KEY: misc_feature 40 <222> LOCATION: (127)..(133) 41 <223> OTHER INFORMATION: Prolamine-like box 43 <220> FEATURE: 44 <221> NAME/KEY: misc_feature 45 <222> LOCATION: (161)..(168) 46 <223> OTHER INFORMATION: G-like box 48 <220> FEATURE: 49 <221> NAME/KEY: enhancer 50 <222> LOCATION: (193)..(230) 51 <223> OTHER INFORMATION: Enhancer box 53 <220> FEATURE: 54 <221> NAME/KEY: TATA_signal 55 <222> LOCATION: (349)..(355) 56 <223> OTHER INFORMATION: TATA box 58 <220> FEATURE:

59 <221> NAME/KEY: misc_feature

Input Set : A:\PTO.AMC.TXT

Output Set: N:\CRF3\01292002\I870375.raw

60 <222> LOCATION: (379) 61 <223> OTHER INFORMATION: Transcription initiation site 63 <400> SEQUENCE: 1 64 agetttgagt ggeegtagat ttgeaaaage aatggetaae agaeacatat tetgeeaaae 60 65 cccaagaagg ataatcactt ttcttagata aaaaagaaca gaccaatata caaacatcca 120 66 cacttctgca aacaatacat cagaactagg attacgccga ttacgtggct ttagcagact 180 67 gtccaaaaat ctgttttgca aagctccaat tgctccttgc ttatccagct tcttttgtgt 240 68 tggcaaactg cgcttttcca accgattttg ttcttctcgc gctttcttct taggctaaac 300 69 aaacctcacc gtgcacgcag ccatggtcct gaaccttcac ctcgtcccta taaaagccta 360 70 gccaaccttc acaatcttat catcacccac aacaccgagc accacaaact agagatc 73 <210> SEQ ID NO: 2 74 <211> LENGTH: 181 75 <212> TYPE: DNA 76 <213> ORGANISM: Artificial Sequence 78 <220> FEATURE: 79 <223> OTHER INFORMATION: Description of Artificial Sequence:MPr1126 promoter 82 <220> FEATURE: 83 <221> NAME/KEY: TATA_signal 84 <222> LOCATION: (113)..(119) 85 <223> OTHER INFORMATION: TATA box 87 <220> FEATURE: 88 <221> NAME/KEY: misc_feature 89 <222> LOCATION: (143) 90 <223> OTHER INFORMATION: Transcription Initiation site 92 <400> SEQUENCE: 2 93 gtgttggcaa actgcgcttt tccaaccgat tttgttcttc tcgcgctttc ttcttaggct 60 94 aaacaaacct caccgtgcac gcagccatgg tcctgaacct tcacctcgtc cctataaaag 120 95 cctaqccaac cttcacaatc ttatcatcac ccacaacacc gagcaccaca aactagagat 180 96 c 99 <210> SEQ ID NO: 3 100 <211> LENGTH: 244 101 <212> TYPE: DNA 102 <213> ORGANISM: Artificial Sequence 104 <220> FEATURE: 105 <223> OTHER INFORMATION: Description of Artificial Sequence: MPr1127 106 promoter 108 <220> FEATURE: 109 <221> NAME/KEY: enhancer 110 <222> LOCATION: (20)..(57) 111 <223> OTHER INFORMATION: Enhancer box 113 <220> FEATURE: 114 <221> NAME/KEY: TATA_signal 115 <222> LOCATION: (176)..(182) 116 <223> OTHER INFORMATION: TATA box 118 <220> FEATURE:

119 <221> NAME/KEY: misc_feature

121 <223> OTHER INFORMATION: Transcription Initiation site

120 <222> LOCATION: (206)

Input Set : A:\PTO.AMC.TXT

Output Set: N:\CRF3\01292002\1870375.raw

123 <400> SEQUENCE: 3 124 gcagactgtc caaaaatctg ttttgcaaag ctccaattgc tccttgctta tccagcttct 60 125 tttgtgttgg caaactgcgc ttttccaacc gattttgttc ttctcgcgct ttcttcttag 120 126 gctaaacaaa cctcaccgtg cacgcagcca tggtcctgaa ccttcacctc gtccctataa 180 127 aagectagee aacetteaca atettateat cacecacaac acegageace acaaactaga 240 128 gatc 131 <210> SEQ ID NO: 4 132 <211> LENGTH: 277 133 <212> TYPE: DNA 134 <213> ORGANISM: Artificial Sequence 136 <220> FEATURE: 137 <223> OTHER INFORMATION: Description of Artificial Sequence:MPr1128 promoter 140 <220> FEATURE: 141 <221> NAME/KEY: misc_feature 142 <222> LOCATION: (21)..(28) 143 <223> OTHER INFORMATION: G-like box 145 <220> FEATURE: 146 <221> NAME/KEY: enhancer 147 <222> LOCATION: (53)..(90) 148 <223> OTHER INFORMATION: Enhancer box 150 <220> FEATURE: 151 <221> NAME/KEY: TATA_signal 152 <222> LOCATION: (209)..(215) 153 <223> OTHER INFORMATION: TATA box 155 <220> FEATURE: 156 <221> NAME/KEY: misc_feature 157 <222> LOCATION: (239) 158 <223> OTHER INFORMATION: Transcription Initiation Site 160 <400> SEQUENCE: 4 161 cagaactagg attacgccga ttacgtggct ttagcagact gtccaaaaat ctgttttgca 60 162 aageteeaat tgeteettge ttateeaget tettttgtgt tggeaaactg egetttteea 120 163 accgattttg ttcttctcgc gctttcttct taggctaaac aaacctcacc gtgcacgcag 180 164 ccatggtcct gaaccttcac ctcgtcccta taaaagccta gccaaccttc acaatcttat 240 165 catcacccac aacaccgagc accacaaact agagatc 168 <210> SEQ ID NO: 5 169 <211> LENGTH: 472 170 <212> TYPE: DNA 171 <213> ORGANISM: Artificial Sequence 173 <220> FEATURE: 174 <223> OTHER INFORMATION: Description of Artificial Sequence: MPr1130 promoter 177 <220> FEATURE: 178 <221> NAME/KEY: misc_feature 179 <222> LOCATION: (22)..(29) 180 <223> OTHER INFORMATION: Prolamine-like box 182 <220> FEATURE: 183 <221> NAME/KEY: misc_feature

184 <222> LOCATION: (70)..(73)

Input Set : A:\PTO.AMC.TXT

Output Set: N:\CRF3\01292002\I870375.raw

185 <223> OTHER INFORMATION: GATA box 187 <220> FEATURE: 188 <221> NAME/KEY: misc_feature 189 <222> LOCATION: (87)..(90) 190 <223> OTHER INFORMATION: GATA box 192 <220> FEATURE: 193 <221> NAME/KEY: misc_feature 194 <222> LOCATION: (127)..(133) 195 <223> OTHER INFORMATION: Prolamine-like box 197 <220> FEATURE: 198 <221> NAME/KEY: misc_feature 199 <222> LOCATION: (161)..(168) 200 <223> OTHER INFORMATION: G-like box 202 <220> FEATURE: 203 <221> NAME/KEY: enhancer 204 <222> LOCATION: (193)..(230) 205 <223> OTHER INFORMATION: Enhancer box 207 <220> FEATURE: 208 <221> NAME/KEY: misc_feature 209 <222> LOCATION: (314)..(368) 210 <223> OTHER INFORMATION: As2/As2/As1 box 212 <220> FEATURE: 213 <221> NAME/KEY: TATA_signal 214 <222> LOCATION: (404)..(410) 215 <223> OTHER INFORMATION: TATA box 217 <220> FEATURE: 218 <221> NAME/KEY: misc_feature 219 <222> LOCATION: (434) 220 <223> OTHER INFORMATION: Transcription Initiation Site 222 <400> SEQUENCE: 5 223 agetttgagt ggeegtagat ttgcaaaage aatggetaae agacacatat tetgeeaaae 60 224 cccaagaagg ataatcactt ttcttagata aaaaagaaca gaccaatata caaacatcca 120 225 cacttctgca aacaatacat cagaactagg attacgccga ttacgtggct ttagcagact 180 226 qtccaaaaat ctqttttqca aaqctccaat tqctccttqc ttatccaqct tcttttqtgt 240 227 tggcaaactg cgcttttcca accgattttg ttcttctcgc gctttcttct taggctaaac 300 228 aaacctcacc gtgattgatg tgatatcaag attgatgtga tatctccact gacgtaaggg 360 229 atgacgcaca cgcagccatg gtcctgaacc ttcacctcgt ccctataaaa gcctagccaa 420 230 ccttcacaat cttatcatca cccacaacac cgagcaccac aaactagaga tc 233 <210> SEQ ID NO: 6 234 <211> LENGTH: 455 235 <212> TYPE: DNA 236 <213> ORGANISM: Artificial Sequence 238 <220> FEATURE: 239 <223> OTHER INFORMATION: Description of Artificial Sequence:MPrl131 240 promoter 242 <220> FEATURE: 243 <221> NAME/KEY: misc_feature 244 <222> LOCATION: (22)..(29)

245 <223> OTHER INFORMATION: Prolamine-like box

Input Set : A:\PTO.AMC.TXT

Output Set: N:\CRF3\01292002\1870375.raw

247 <220> FEATURE: 248 <221> NAME/KEY: misc_feature 249 <222> LOCATION: (70)..(73) 250 <223> OTHER INFORMATION: GATA box 252 <220> FEATURE: 253 <221> NAME/KEY: misc_feature 254 <222> LOCATION: (87)..(90) 255 <223> OTHER INFORMATION: GATA box 257 <220> FEATURE: 258 <221> NAME/KEY: misc_feature 259 <222> LOCATION: (127)..(133) 260 <223> OTHER INFORMATION: Prolamine-like box 262 <220> FEATURE: 263 <221> NAME/KEY: misc feature 264 <222> LOCATION: (161)..(168) 265 <223> OTHER INFORMATION: G-like box 267 <220> FEATURE: 268 <221> NAME/KEY: enhancer 269 <222> LOCATION: ()..) 270 <223> OTHER INFORMATION: Enhancer box 272 <220> FEATURE: 273 <221> NAME/KEY: misc_feature 274 <222> LOCATION: ()..) 275 <223> OTHER INFORMATION: As2/As1 box 277 <220> FEATURE: 278 <221> NAME/KEY: TATA_signal 279 <222> LOCATION: ()..(393) 280 <223> OTHER INFORMATION: TATA box 282 <220> FEATURE: 283 <221> NAME/KEY: misc_feature 284 <222> LOCATION: () 285 <223> OTHER INFORMATION: Transcription Initiation Site 287 <400> SEQUENCE: 6 288 agetttgagt ggeegtagat ttgcaaaage aatggetaae agacacatat tetgeeaaae 60 289 cccaagaagg ataatcactt ttcttagata aaaaagaaca gaccaatata caaacatcca 120 290 cacttctgca aacaatacat cagaactagg attacgccga ttacgtggct ttagcagact 180 291 gtccaaaaat ctgttttgca aagctccaat tgctccttgc ttatccagct tcttttgtgt 240 292 tggcaaactg cgcttttcca accgattttg ttcttctcgc gctttcttct taggctaaac 300 293 aaacctcacc gtgattgatg tgatatctcc actgacgtaa gggatgacgc acacgcagcc 360 294 atggtcctga accttcacct cgtccctata aaagcctagc caaccttcac aatcttatca 420 455 295 tcacccacaa caccgagcac cacaaactag agatc 298 <210> SEQ ID NO: 7 299 <211> LENGTH: 332 300 <212> TYPE: DNA 301 <213> ORGANISM: Artificial Sequence 303 <220> FEATURE: 304 <223> OTHER INFORMATION: Description of Artificial Sequence:MPr1135 promoter 307 <220> FEATURE:

VERIFICATION SUMMARY DATE: 01/29/2002 PATENT APPLICATION: US/09/870,375 TIME: 09:54:46

Input Set : A:\PTO.AMC.TXT

Output Set: N:\CRF3\01292002\I870375.raw

L:11 M:270 C: Current Application Number differs, Replaced Application Number

L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date